Set Name		Hit Count	
side by side $DB {=} US$	SPT; PLUR=YES; OP=ADJ		result set
	L8 and identifier	4	<u>L9</u>
<u>L8</u>	L7 and 16	11	<u>L8</u>
<u>L7</u>	instant messag\$ with environment	35	<u>L7</u>
<u>L6</u>	instant messag\$ with application	101	<u>L6</u>
<u>L5</u>	instant messag\$ with application with environment	1	<u>L5</u>
<u>L4</u>	6816884.pn.	1	<u>L4</u>
<u>L3</u>	6651053.pn.	1	<u>L3</u>
<u>L2</u>	6611814.pn.	1	<u>L2</u>
<u>L1</u>	6493724.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Set Name Query side by side		Hit Count Set Name result set	
DB=U	SPT; PLUR=YES; OP=ADJ		
<u>L6</u>	L1 same transmit\$ same receiv\$	2	<u>L6</u>
<u>L5</u>	L1 same application	.7	<u>L5</u>
<u>L4</u>	instant messag\$ environment	. 4	<u>L4</u>
<u>L3</u>	instant messag\$ with identifier with environment	0	<u>L3</u>
<u>L2</u>	L1 same environment	. 2.	<u>L2</u>
<u>L1</u>	instant messag\$ same identifier	28	<u>L1</u>

END OF SEARCH HISTORY